

PHP Bootstrap 5 Typography

Table of Contents

- [PHP Bootstrap 5 Typography](#)
 - [Default Settings](#)
 - [Example 1](#)
 - [.h1 to .h6](#)
 - [Example 2](#)
 - [Display Headings](#)
 - [Example 3](#)
 - [Document](#)
 - [Reference](#)

Default Settings

Bootstrap 5 uses a default `font-size` of 1rem (16px by default), and its `line-height` is 1.5.

In addition, all `<p>` elements have `margin-top: 0` and `margin-bottom: 1rem` (16px by default). You can also use `.h1` to `.h6` classes on other elements to make them behave as headings if you want:

Example 1

```
<!DOCTYPE html>
<html lang="en">

<head>
  <title>Bootstrap Example</title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.
css" rel="stylesheet">
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle
.min.js"></script>
</head>

<body>

  <div class="container mt-3">
    <p>The font-size of each Bootstrap heading depends on the screen
size. Try to resize the browser window to see the effect.</p>
    <h1>h1 Bootstrap heading</h1>
    <h2>h2 Bootstrap heading</h2>
    <h3>h3 Bootstrap heading</h3>
    <h4>h4 Bootstrap heading</h4>
    <h5>h5 Bootstrap heading</h5>
    <h6>h6 Bootstrap heading</h6>
```

```
</div>

</body>

</html>
```

Result

The font-size of each Bootstrap heading depends on the screen size.
Try to resize the browser window to see the effect.

h1 Bootstrap heading

h2 Bootstrap heading

h3 Bootstrap heading

h4 Bootstrap heading

h5 Bootstrap heading

h6 Bootstrap heading

.h1 to .h6

Example 2

```
<!DOCTYPE html>
<html lang="en">

<head>
  <title>Bootstrap Example</title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.
css" rel="stylesheet">
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle
.min.js"></script>
</head>

<body>

  <div class="container mt-3">
    <p class="h1">h1 Bootstrap heading</p>
    <p class="h2">h2 Bootstrap heading</p>
```

```
    <p class="h3">h3 Bootstrap heading</p>
    <p class="h4">h4 Bootstrap heading</p>
    <p class="h5">h5 Bootstrap heading</p>
    <p class="h6">h6 Bootstrap heading</p>
  </div>

</body>

</html>
```

Result

h1 Bootstrap heading

h2 Bootstrap heading

h3 Bootstrap heading

h4 Bootstrap heading

h5 Bootstrap heading

h6 Bootstrap heading

Display Headings

Display headings are used to stand out more than normal headings (larger font-size and lighter font-weight), and there are six classes to choose from: `.display-1` to `.display-6`:

Example 3

```
<!DOCTYPE html>
<html lang="en">

<head>
  <title>Bootstrap Example</title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.
css" rel="stylesheet">
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle
.min.js"></script>
</head>

<body>
```

```
<div class="container mt-3">
  <h1>Display Headings</h1>
  <p>Display headings are used to stand out more than normal
headings (larger font-size and lighter font-weight):</p>
  <h1 class="display-1">Display 1</h1>
  <h1 class="display-2">Display 2</h1>
  <h1 class="display-3">Display 3</h1>
  <h1 class="display-4">Display 4</h1>
  <h1 class="display-5">Display 5</h1>
  <h1 class="display-6">Display 6</h1>
</div>

</body>

</html>
```

Result

Display Headings

Display headings are used to stand out more than normal headings
(larger font-size and lighter font-weight):

Display 1

Display 2

Display 3

Display 4

Display 5

Display 6

Document

Document in project

You can [Download PDF](#) file.

Reference