

PHP Bootstrap5 Navbars

A navigation bar is a navigation header that is placed at the top of the page:



Table of Contents

- [PHP Bootstrap5 Navbars](#)
 - [Bootstrap 5 Basic Navbar](#)
 - [Example 1](#)
 - [Bootstrap 5 Vertical Navbar](#)
 - [Example 2](#)
 - [Bootstrap 5 Centered Navbar](#)
 - [Example 3](#)
 - [Bootstrap 5 Colored Navbar](#)
 - [Example 4](#)
 - [Bootstrap 5 Brand](#)
 - [Example 5](#)
 - [Bootstrap 5 Logo](#)
 - [Example 6](#)
 - [Bootstrap 5 Navbar Text](#)
 - [Example 7](#)
 - [Bootstrap 5 Navbar Toggler](#)
 - [Example 8](#)
 - [Bootstrap Navbar With Dropdown](#)
 - [Example 9](#)
 - [Bootstrap 5 Navbar Forms and Buttons](#)
 - [Example 10](#)
 - [Bootstrap 5 Fixed Navigation Bar](#)
 - [Example 11](#)
 - [Bootstrap 5 Bottom Fixed Navbar](#)
 - [Example x](#)
 - [Bootstrap 5 Sticky Navbar](#)
 - [Example 13](#)
 - [Document](#)
 - [Reference](#)

Bootstrap 5 Basic Navbar

With Bootstrap, a navigation bar can extend or collapse, depending on the screen size.

A standard navigation bar is created with the `.navbar` class, followed by a responsive collapsing class: `.navbar-expand-xxl|xl|lg|md|sm` (stacks the navbar vertically on xxlarge, extra large, large, medium or small screens).

To add links inside the navbar, use either an `` element (or a `<div>`) with `class="navbar-nav"`. Then add `` elements with a `.nav-item` class followed by an `<a>` element with a `.nav-link` class:

Example 1

```
<!DOCTYPE html>
<html lang="en">

<head>
  <title>Bootstrap Example</title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.
css" rel="stylesheet">
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle
.min.js"></script>
</head>

<body>

  <nav class="navbar navbar-expand-sm bg-light">
    <div class="container-fluid">
      <ul class="navbar-nav">
        <li class="nav-item">
          <a class="nav-link" href="#">Link 1</a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="#">Link 2</a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="#">Link 3</a>
        </li>
      </ul>
    </div>
  </nav>

  <div class="container-fluid mt-3">
    <h3>Basic Navbar Example</h3>
    <p>A navigation bar is a navigation header that is placed at the
top of the page.</p>
    <p>The navbar-expand-xxl|xl|lg|md|sm class determines when the
navbar should stack vertically (on xxlarge, extra large, large, medium or
small screens).</p>
  </div>

</body>

</html>
```

Result

[Link 1](#) [Link 2](#) [Link 3](#)

Basic Navbar Example

A navigation bar is a navigation header that is placed at the top of the page.

The `navbar-expand-xxl|xl|lg|md|sm` class determines when the navbar should stack vertically (on xxlarge, extra large, large, medium or small screens).

Bootstrap 5 Vertical Navbar

Remove the `.navbar-expand-*` class to create a navigation bar that will always be vertical:

Example 2

```
<!DOCTYPE html>
<html lang="en">

<head>
  <title>Bootstrap Example</title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.
css" rel="stylesheet">
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle
.min.js"></script>
</head>

<body>

  <nav class="navbar bg-light">
    <div class="container-fluid">
      <ul class="navbar-nav">
        <li class="nav-item">
          <a class="nav-link" href="#">Link 1</a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="#">Link 2</a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="#">Link 3</a>
        </li>
      </ul>
    </div>
  </nav>
</body>
</html>
```

```
</nav>

<div class="container-fluid mt-3">
  <h3>Vertical Navbar Example</h3>
  <p>A navigation bar is a navigation header that is placed at the
top of the page.</p>
</div>

</body>

</html>
```

Result

[Link 1](#)

[Link 2](#)

[Link 3](#)

Vertical Navbar Example

A navigation bar is a navigation header that is placed at the top of the page.

Bootstrap 5 Centered Navbar

Add the `.justify-content-center` class to center the navigation bar:

Example 3

```
<!DOCTYPE html>
<html lang="en">

<head>
  <title>Bootstrap Example</title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.
css" rel="stylesheet">
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle
.min.js"></script>
</head>

<body>
```

```
<nav class="navbar navbar-expand-sm bg-light justify-content-center">
  <ul class="navbar-nav">
    <li class="nav-item">
      <a class="nav-link" href="#">Link 1</a>
    </li>
    <li class="nav-item">
      <a class="nav-link" href="#">Link 2</a>
    </li>
    <li class="nav-item">
      <a class="nav-link" href="#">Link 3</a>
    </li>
  </ul>
</nav>

<div class="container-fluid mt-3">
  <h3>Centered Navbar</h3>
  <p>Use the .justify-content-center class to center the navigation
bar.</p>
  <p>In this example, the navbar will be centered on medium, large
and extra large screens. On small screens it will be displayed vertically
and left-aligned (because of the .navbar-expand-sm class).</p>
</div>

</body>

</html>
```

Result



Centered Navbar

Use the `.justify-content-center` class to center the navigation bar.

In this example, the navbar will be centered on medium, large and extra large screens. On small screens it will be displayed vertically and left-aligned (because of the `.navbar-expand-sm` class).

Bootstrap 5 Colored Navbar

Use any of the `.bg-color` classes to change the background color of the navbar (`.bg-primary`, `.bg-success`, `.bg-info`, `.bg-warning`, `.bg-danger`, `.bg-secondary`, `.bg-dark` and `.bg-light`)

Tip: Add a white text color to all links in the navbar with the `.navbar-dark` class, or use the `.navbar-light` class to add a black text color.

Example 4

```

<!DOCTYPE html>
<html lang="en">

<head>
  <title>Bootstrap Example</title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.
css" rel="stylesheet">
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle
.min.js"></script>
</head>

<body>

  <div class="container mt-3">
    <h3>Colored Navbar</h3>
    <p>Use any of the .bg-color classes to add a background color to
the navbar.</p>
    <p>Tip: Add a white text color to all links in the navbar with the
.navbar-dark class, or use the .navbar-light class to add a black text
color.</p>
  </div>

  <nav class="navbar navbar-expand-sm bg-light navbar-light">
    <div class="container-fluid">
      <ul class="navbar-nav">
        <li class="nav-item">
          <a class="nav-link active" href="#">Active</a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="#">Link</a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="#">Link</a>
        </li>
        <li class="nav-item">
          <a class="nav-link disabled" href="#">Disabled</a>
        </li>
      </ul>
    </div>
  </nav>

  <nav class="navbar navbar-expand-sm bg-dark navbar-dark">
    <div class="container-fluid">
      <ul class="navbar-nav">
        <li class="nav-item">
          <a class="nav-link active" href="#">Active</a>
        </li>
        <li class="nav-item">

```

```
        <a class="nav-link" href="#">Link</a>
    </li>
    <li class="nav-item">
        <a class="nav-link" href="#">Link</a>
    </li>
    <li class="nav-item">
        <a class="nav-link disabled" href="#">Disabled</a>
    </li>
</ul>
</div>
</nav>

<nav class="navbar navbar-expand-sm bg-primary navbar-dark">
    <div class="container-fluid">
        <ul class="navbar-nav">
            <li class="nav-item">
                <a class="nav-link active" href="#">Active</a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="#">Link</a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="#">Link</a>
            </li>
            <li class="nav-item">
                <a class="nav-link disabled" href="#">Disabled</a>
            </li>
        </ul>
    </div>
</nav>

<nav class="navbar navbar-expand-sm bg-success navbar-dark">
    <div class="container-fluid">
        <ul class="navbar-nav">
            <li class="nav-item">
                <a class="nav-link active" href="#">Active</a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="#">Link</a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="#">Link</a>
            </li>
            <li class="nav-item">
                <a class="nav-link disabled" href="#">Disabled</a>
            </li>
        </ul>
    </div>
</nav>

<nav class="navbar navbar-expand-sm bg-info navbar-dark">
    <div class="container-fluid">
        <ul class="navbar-nav">
            <li class="nav-item">
```

```

        <a class="nav-link active" href="#">Active</a>
    </li>
    <li class="nav-item">
        <a class="nav-link" href="#">Link</a>
    </li>
    <li class="nav-item">
        <a class="nav-link" href="#">Link</a>
    </li>
    <li class="nav-item">
        <a class="nav-link disabled" href="#">Disabled</a>
    </li>
</ul>
</div>
</nav>

<nav class="navbar navbar-expand-sm bg-warning navbar-dark">
    <div class="container-fluid">
        <ul class="navbar-nav">
            <li class="nav-item">
                <a class="nav-link active" href="#">Active</a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="#">Link</a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="#">Link</a>
            </li>
            <li class="nav-item">
                <a class="nav-link disabled" href="#">Disabled</a>
            </li>
        </ul>
    </div>
</nav>

<nav class="navbar navbar-expand-sm bg-danger navbar-dark">
    <div class="container-fluid">
        <ul class="navbar-nav">
            <li class="nav-item">
                <a class="nav-link active" href="#">Active</a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="#">Link</a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="#">Link</a>
            </li>
            <li class="nav-item">
                <a class="nav-link disabled" href="#">Disabled</a>
            </li>
        </ul>
    </div>
</nav>

<nav class="navbar navbar-expand-sm bg-secondary navbar-dark">

```



```
<div class="container-fluid">
  <ul class="navbar-nav">
    <li class="nav-item">
      <a class="nav-link active" href="#">Active</a>
    </li>
    <li class="nav-item">
      <a class="nav-link" href="#">Link</a>
    </li>
    <li class="nav-item">
      <a class="nav-link" href="#">Link</a>
    </li>
    <li class="nav-item">
      <a class="nav-link disabled" href="#">Disabled</a>
    </li>
  </ul>
</div>
</nav>

</body>


</html>
```

Result

Colored Navbar

Use any of the .bg-color classes to add a background color to the navbar.

Tip: Add a white text color to all links in the navbar with the .navbar-dark class, or use the .navbar-light class to add a black text color.



Bootstrap 5 Brand

The `.navbar-brand` class is used to highlight the brand/logo/project name of your page:

Example 5

```
<!DOCTYPE html>
<html lang="en">

<head>
  <title>Bootstrap Example</title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.
css" rel="stylesheet">
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle
.min.js"></script>
</head>

<body>

  <nav class="navbar navbar-expand-sm bg-dark navbar-dark">
    <div class="container-fluid">
      <a class="navbar-brand" href="#">Logo</a>
    </div>
  </nav>

  <div class="container-fluid mt-3">
    <h3>Brand / Logo</h3>
    <p>The .navbar-brand class is used to highlight the
brand/logo/project name of your page.</p>
  </div>

</body>

</html>
```

Result

Logo

Brand / Logo

The `.navbar-brand` class is used to highlight the brand/logo/project name of your page.

Bootstrap 5 Logo

When using the `.navbar-brand` class with images, Bootstrap 5 will automatically style the image to fit the navbar vertically.

Example 6

```
<!DOCTYPE html>
<html lang="en">

<head>
  <title>Bootstrap Example</title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.
css" rel="stylesheet">
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle
.min.js"></script>
</head>

<body>


  <nav class="navbar navbar-expand-sm bg-dark navbar-dark">
    <div class="container-fluid">
      <a class="navbar-brand" href="#">
        
      </a>
    </div>
  </nav>

  <div class="container-fluid mt-3">
    <h3>Brand / Logo</h3>
    <p>When using the .navbar-brand class with images, Bootstrap 5
will automatically style the image to fit the navbar.</p>
  </div>

</body>
```

```
</html>
```

Result



Brand / Logo

When using the `.navbar-brand` class with images, Bootstrap 5 will automatically style the image to fit the navbar.

Bootstrap 5 Navbar Text

Use the `.navbar-text` class to vertical align any elements inside the navbar that are not links (ensures proper padding and text color).

Example 7

```
<!DOCTYPE html>
<html lang="en">

<head>
  <title>Bootstrap Example</title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.
css" rel="stylesheet">
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle
.min.js"></script>
</head>

<body>

  <nav class="navbar navbar-expand-sm bg-dark navbar-dark">
    <div class="container-fluid">
      <span class="navbar-text">Navbar text</span>
    </div>
  </nav>


  <div class="container-fluid mt-3">
    <h3>Navbar Text</h3>
    <p>Use the .navbar-text class to vertical align any elements
```

```
inside the navbar that are not links (ensures proper padding).</p>
  </div>

</body>

</html>
```

Result



Navbar text

Navbar Text

Use the `.navbar-text` class to vertical align any elements inside the navbar that are not links (ensures proper padding).

Bootstrap 5 Navbar Toggler

Very often, especially on small screens, you want to hide the navigation links and replace them with a button that should reveal them when clicked on.

To create a collapsible navigation bar, use a button with `class="navbar-toggler"`, `data-bs-toggle="collapse"` and `data-bs-target="#thetarget"`. Then wrap the navbar content (links, etc) inside a

element with `class="collapse navbar-collapse"`, followed by an id that matches the `data-bs-target` of the button: "thetarget".

Example 8

```
<!DOCTYPE html>
<html lang="en">

<head>
  <title>Bootstrap Example</title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.
css" rel="stylesheet">
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle
.min.js"></script>
</head>

<body>
```

```

<nav class="navbar navbar-expand-sm bg-dark navbar-dark">
  <div class="container-fluid">
    <a class="navbar-brand" href="#">Logo</a>
    <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#collapsibleNavbar">
      <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="collapsibleNavbar">
      <ul class="navbar-nav">
        <li class="nav-item">
          <a class="nav-link" href="#">Link</a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="#">Link</a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="#">Link</a>
        </li>
      </ul>
    </div>
  </div>
</nav>


<div class="container-fluid mt-3">
  <h3>Collapsible Navbar</h3>
  <p>In this example, the navigation bar is hidden on small screens
and replaced by a button in the top right corner (try to re-size this
window).</p>
  <p>Only when the button is clicked, the navigation bar will be
displayed.</p>
  <p>Tip: You can also remove the .navbar-expand-md class to ALWAYS
hide navbar links and display the toggler button.</p>
</div>

</body>

</html>

```

Result



Logo Link Link Link

Collapsible Navbar

In this example, the navigation bar is hidden on small screens and replaced by a button in the top right corner (try to re-size this window).

Only when the button is clicked, the navigation bar will be displayed.

Tip: You can also remove the `.navbar-expand-md` class to ALWAYS hide navbar links and display the toggler button.

Bootstrap Navbar With Dropdown

Navbars can also hold dropdown menus:

Example 9

```
<!DOCTYPE html>
<html lang="en">

<head>
  <title>Bootstrap Example</title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.
css" rel="stylesheet">
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle
.min.js"></script>
</head>

<body>

  <nav class="navbar navbar-expand-sm bg-dark navbar-dark">
    <div class="container-fluid">
      <a class="navbar-brand" href="#">Logo</a>
      <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#collapsibleNavbar">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="collapsibleNavbar">
        <ul class="navbar-nav">
          <li class="nav-item">
            <a class="nav-link" href="#">Link</a>
          </li>
        </ul>
      </div>
    </div>
  </nav>

```

```

        <li class="nav-item">
            <a class="nav-link" href="#">Link</a>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="#">Link</a>
        </li>
        <li class="nav-item dropdown">
            <a class="nav-link dropdown-toggle" href="#"
role="button" data-bs-toggle="dropdown">Dropdown</a>
            <ul class="dropdown-menu">
                <li><a class="dropdown-item" href="#">Link</a>
</li>
                <li><a class="dropdown-item" href="#">Another
link</a></li>
                <li><a class="dropdown-item" href="#">A third
link</a></li>
            </ul>
        </li>
    </ul>
</div>
</div>
</nav>


<div class="container-fluid mt-3">
    <h3>Navbar With Dropdown</h3>
    <p>This example adds a dropdown menu in the navbar.</p>
</div>

</body>

</html>

```

Result



Logo Link Link Link Dropdown ▾

Navbar With Dropdown

This example adds a dropdown menu in the navbar.

Bootstrap 5 Navbar Forms and Buttons

You can also include forms inside the navigation bar:

Example 10


```

<!DOCTYPE html>
<html lang="en">

<head>
  <title>Bootstrap Example</title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.
css" rel="stylesheet">
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle
.min.js"></script>
</head>

<body>

  <nav class="navbar navbar-expand-sm navbar-dark bg-dark">
    <div class="container-fluid">
      <a class="navbar-brand" href="javascript:void(0)">Logo</a>
      <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#mynavbar">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="mynavbar">
        <ul class="navbar-nav me-auto">
          <li class="nav-item">
            <a class="nav-link"
href="javascript:void(0)">Link</a>
          </li>
          <li class="nav-item">
            <a class="nav-link"
href="javascript:void(0)">Link</a>
          </li>
          <li class="nav-item">
            <a class="nav-link"
href="javascript:void(0)">Link</a>
          </li>
        </ul>
        <form class="d-flex">
          <input class="form-control me-2" type="text"
placeholder="Search">
          <button class="btn btn-primary"
type="button">Search</button>
        </form>
      </div>
    </div>
  </nav>

  <div class="container-fluid mt-3">
    <h3>Navbar Forms</h3>
    <p>You can also include forms inside the navigation bar.</p>
  </div>

```

```
</body>
</html>
```

Result



Navbar Forms

You can also include forms inside the navigation bar.

Bootstrap 5 Fixed Navigation Bar

The navigation bar can also be fixed at the top or at the bottom of the page.

A fixed navigation bar stays visible in a fixed position (top or bottom) independent of the page scroll.

The `.fixed-top` class makes the navigation bar fixed at the top:

Use the `.fixed-bottom` class to make the navbar stay at the bottom of the page:

Example 11

```
<!DOCTYPE html>
<html lang="en">

<head>
  <title>Bootstrap Example</title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.
css" rel="stylesheet">
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle
.min.js"></script>
</head>

<body style="height:1500px">

  <nav class="navbar navbar-expand-sm bg-dark navbar-dark fixed-top">
    <div class="container-fluid">
      <a class="navbar-brand" href="#">Fixed top</a>
    </div>
  </nav>
```

```
<div class="container-fluid" style="margin-top:80px">
  <h3>Top Fixed Navbar</h3>
  <p>A fixed navigation bar stays visible in a fixed position (top
or bottom) independent of the page scroll.</p>
  <h1>Scroll this page to see the effect</h1>
</div>

</body>

</html>
```

Result

Fixed top

Top Fixed Navbar

A fixed navigation bar stays visible in a fixed position (top or bottom) independent of the page scroll.

Scroll this page to see the effect

Bootstrap 5 Bottom Fixed Navbar

Use the `.fixed-bottom` class to make the navbar stay at the bottom of the page:

Example x

```
<!DOCTYPE html>
<html lang="en">

<head>
  <title>Bootstrap Example</title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.
css" rel="stylesheet">
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle
.min.js"></script>
</head>

<body style="height:1500px">

  <nav class="navbar navbar-expand-sm bg-dark navbar-dark fixed-bottom">
```

```
<div class="container-fluid">
  <a class="navbar-brand" href="#">Fixed bottom</a>
</div>
</nav>

<div class="container-fluid"><br>
  <h3>Bottom Fixed Navbar</h3>
  <p>A fixed navigation bar stays visible in a fixed position (top
or bottom) independent of the page scroll.</p>
  <h1>Scroll this page to see the effect</h1>
</div>

</body>

</html>
```

Result

Bottom Fixed Navbar

A fixed navigation bar stays visible in a fixed position (top or bottom) independent of the page scroll.

Scroll this page to see the effect

Fixed bottom

Bootstrap 5 Sticky Navbar

Use the `.sticky-top` class to make the navbar fixed/stay at the top of the page when you scroll past it. Note: This class does not work in IE11 and earlier (will treat it as `position: relative`).

Example 13

```
<!DOCTYPE html>
<html lang="en">

<head>
  <title>Bootstrap Example</title>
  <meta charset="utf-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1">
<link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.
css" rel="stylesheet">
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle
.min.js"></script>
</head>

<body style="height:1500px">

  <div class="container-fluid mt-3">
    <br>
    <h3>Sticky Navbar</h3>
    <p>A sticky navigation bar stays fixed at the top of the page when
you scroll past it.</p>
    <p>Scroll this page to see the effect. <strong>Note:</strong>
sticky-top does not work in IE11 and earlier.</p>
  </div>

  <nav class="navbar navbar-expand-sm bg-dark navbar-dark sticky-top">
    <div class="container-fluid">
      <a class="navbar-brand" href="#">Sticky top</a>
    </div>
  </nav>

  <div class="container-fluid"><br>
    <p>Some example text. Some example text. Some example text. Some
example text. Some example text.</p>
    <p>Some example text. Some example text. Some example text. Some
example text. Some example text.</p>
    <p>Some example text. Some example text. Some example text. Some
example text. Some example text.</p>
    <p>Some example text. Some example text. Some example text. Some
example text. Some example text.</p>
  </div>

</body>

</html>
```

Result

Sticky Navbar

A sticky navigation bar stays fixed at the top of the page when you scroll past it.

Scroll this page to see the effect. **Note:** sticky-top does not work in IE11 and earlier.

Sticky top

Some example text. Some example text. Some example text. Some example text.
Some example text.

Some example text. Some example text. Some example text. Some example text.
Some example text.

Some example text. Some example text. Some example text. Some example text.
Some example text.

Some example text. Some example text. Some example text. Some example text.
Some example text.

Document

Document in project

You can [Download PDF](#) file.

Refference